



Customized Collection

定制系列

Freezing Plate 冻板



Red Wine Cabinet 红酒柜



Cold Bain-marie 冰盆



Vegetable Cabinet 果蔬柜



Customized Collection

General Features

- 01

- 304 grade stainless steel exterior and interior finish
内外采用304不锈钢材料，可选各种镀钛不锈钢板材制造
- 03

- ITO glass door, anti-condensation and clear visibility
ITO镀膜发热玻璃门，防止玻璃门结露，展示效果好，采用自主研发的玻璃温度控制器，所有发热玻璃在同一种温度下运行
- 04


- Stand-alone humidification system can meet the humidity requirement
设计独立加湿系统，确保柜内达到湿度要求
- 06

- Self developed control system can examine the faulty automatically, and display the relative codes on the digital controller, which makes the maintenance much easier and more effective.
控制系统自动检测设备状况并自动显示故障代码
- 10

- Automatic vaporising the defrost water, no drain connection is required.
自动蒸发化霜水，不需要排水管
- 11

- Environment-friendly CFC-free refrigerant
采用环保制冷剂
- 12

- Designed and engineered to operate from 0°C to 43°C ambient.
在10~32℃环境下使用



- Evaporator with coated fins provides high corrosion resistance properties
亲水膜蒸发器，具有耐腐蚀性特性
- Forced air cooling system ensures effective air circulation.
强制风冷循环系统，制冷快速、柜温均匀



- Patented semi frequency variable technique using electronic expansion valve controlled by VFD (variable frequency drive), which can automatically adjusts the operating parameters, ensure wonderful working performance and lower energy consumption.
专利准变频电子膨胀阀制冷系统，配备自主研发的控制技术，自动调节制冷系统运行参数,节能高达30%。克服毛细管工况适应性差且制冷过程不能精确控制的缺点，且具备多重保护功能



- Top-mounted evaporating system with hidden evaporator, maximises the internal capacity and easy servicing.
顶置隐藏式风冷蒸发系统，极大地扩大内部容积并利于维修



- Patented top-mounted removable independently cooling system, whole unit can be replaced with new one immediately. Interchangeable different temperature ranges cassette unit allows flexible application, also easy to maintain.
有专利技术的嵌入可移动式整体制冷系统，包含风冷蒸发器系统，很方便更换整套全新的制冷系统，易于维护



- Various of wine stand for chosen
各式各样设计独特的酒架可供用户选择

Customized Collection

定制系列

Technical Data

Model	型号	Red Wine Cabinet		Vegetable Cabinet	
Temp Range	温度范围	+12~+16 ℃		+4~+10 ℃	
External Dimension (mm) 外形尺寸					
Width	长	1200		1200	
Depth	宽	550		550	
Height	高	2800		2800	
Packing Size (mm) 包装尺寸		Cabinet	Condensation Unit	Cabinet	Condensation Unit
Length	长	1250	1250	1250	1250
Width	宽	600	600	600	600
Height	高	2730	650	2730	650
Weight (kgs) 重量					
Net weight	净重	320		290	
Gross weight	毛重	365		335	
Shelves or Wine Rack 层板/酒架					
Quantity	数量	6 racks		12 shelves	
Material	材质	Transparent acrylic/stainless steel		stainless steel mesh basket	
Maximum loading height of shelves (mm per shelf) 层板最高装载高度		/		300	
Door opening direction 开门方式		Front opening			
Capacity (bottles / liters) 容积		168 bottles of red wine		1150L	
Power supply 电源		220V/50HZ(220V/60HZ, 110V/60HZ)			
Power Input - Running (amps) 电流		5.3		5.3	
Rating Power (watts) 功率		950		950	
Compressor (HP) 压缩机		3/4		3/4	
Refrigerant 制冷剂					
Type	类型	R134a			
Weight (g)	灌注量	500		500	
Standard fitting of light 照明配置		white LED light		white LED light	
Optional Material for outer decoration 外装饰材质		Snow sand / Titanium / Mirror Stainless steel			
Packing 包装		Plywood Case, no need to be fumigated			

Optional Refrigerant : R290